Transformador de Corrente USB-C PD - MultiCountry LINDY (73303)



Referencia : 73303

Transformador de Corrente USB-C PD - MultiCountry LINDY (73303)

Fabricante : Lindy

The Lindy Single Port USB Type C Travel Charger can charge a single USB device at home and abroad with four interchangable power supply plugs for the UK, Europe, US and Australia. This travel charger has a stylish compact design, perfect for fitting into hand luggage when travelling, with a simple slide and lock mechanism for easily equipping the appropriate adapter.

• Charges and powers a USB Type C device
• Features a USB Type C Female Port with Smart IC for connecting devices
• Provides 18W of PD charging, great for faster charging of smartphones and iOS devices
• Includes multi-country adapters for use around the world

Featuring a single Type C female USB port this charger is ideal for use with most popular smartphones and iOS devices. Supporting power delivery of 18W, connected devices can be provided with faster charging than what is possible from a standard Type C charger supplied with many devices, and up to 70% faster than a typical 5W USB Type A charger. With Smart IC capabilities, the charger can also instantly recognise the connected device to automatically adjust the charging current for a fast and safe charge while also providing overcurrent protection to avoid excessive current damaging your device. As this charger is rated at Level 6 for efficiency, it also meets the highest current level of energy efficiency standards.

Please note: a USB Type C to Lightning cable (sold separately) is required for many iOS devices

Manual de InstruÃ§Ãµes (PDF)

LIDERTRÃ“NICA - Um Mundo de Acessórios para Informá

Transformador de Corrente USB-C PD - MultiCountry LINDY (73303)

Technical details

• Specifications

• Interface: USB Type C
• Compatibility: Compatible with all Type C devices
• Input Voltage: 100-240V 0.5A
• Input AC Frequency: 50~60Hz
• Output Voltage: 5V / 9V / 12V
• Output Voltage Accuracy: Â±5%
• Output Current (max.): 3A / 2A / 1.5A
• Output Power: 18W
• Average active efficiency: 5V3A 81.39%, 9V/12V 85%"
• Efficiency at low load (10%): Yes
• No-load Power Consumption: 0.1W Max
• Power Delivery: PD 2.0
• Special Features: Smart IC

• Connectors

• Input: USB Type C (Female)

• Physical Properties

• Dimensions (approx.) WxDxH: 29.5x44.9x54.8mm (1.16x1.77x2.16in)
• Connector Material: Copper
• Housing Material: Plastic
• Net Weight: 0.079kg (0.17lb)
• Operating Temperature: -10Â°C - 40Â°C (14Â°F - 104Â°F)
• Storage Temperature: -20Â°C - 70Â°C (-4Â°F - 158Â°F)
• Humidity: 10 - 90% RH (non-condensing)
• Colour: White

• Miscellaneous

• Packaging Type: Carton Box
• Packaging Dimensions: 175x42x135mm (6.89x1.65x5.31in)
• Gross Weight: 0.137kg (0.3lb)
• Certificated: CE, LVD, RoHS & REACH

• Package Contents

• Single Port USB Type C PD Travel Charger
• Multi-country Adapters - UK, EU, US & AUS
• Lindy Manual

LIDERTRÃ“NICA - Um Mundo de Acessórios para Informática!

> Transformador de Corrente USB-C PD - MultiCountry LINDY (73303)

Transformador de Corrente USB-C PD - MultiCountry LINDY (73303)

LIDERTRÃ“NICA - Um Mundo de AcessÃ³rios para InformÃ¡

Este artigo foi introduzido no catalogo online : Thursday, 21 August 2014