

> Cabo CAT7 S/FTP LS0H PiMF 20.00m LINDY (47270)

Cabo CAT7 S/FTP LS0H PiMF 20.00m LINDY (47270)



Referencia : 47270

Cabo CAT7 S/FTP LS0H PiMF 20.00m LINDY (47270)

Fabricante : Lindy

- Twisted Pair Patch Cable with RJ45 connectors
- Connector: Cat.6A / Cable: Cat.7 S/FTP (600Mhz)
- Integrated snagless connector for latch protection
- Gold plated pins for better conductivity and elimination of signal loss

Cat.7 S/FTP network cable with support for bandwidth up to 600MHz and features a snagless design with gold plated contacts for ethernet standards up to 10 GBase-T.

The Cat.7 cable material for operating frequencies up to 600MHz with total braided shielding and foil single-wire shielding (S/FTP) was developed for use in data centres, server rooms, rack mounting of network and control cabinets etc. for networks up to 10GBaseT. These cables are manufactured and tested according to the ISO/IEC 11801 specification. The cables are packaged individually in a polybag.

The gold-plated contacts ensure reliable, corrosion-free connections over extensive periods of time. A robust snagless strain relief design prevents damage to the connector latch during installation and removal.

This product uses Cat.7 cable material. The Cat.7 standard originally defined the GG45 connectors, which were intended as a further development of RJ45, but were not able to establish themselves on the market. In the meantime, the RJ45 connector developed to easily meet the requirements of Cat.7, but has never been defined for Cat.7. Therefore the imprint on the cable reads as follows: "Cat.6A S/FTP patch cords with 600MHz raw cable"

Technical Information

- S/FTP - (S) Braided cable shielding / (FTP) Foil Twisted Pair, also known as PiMF - Pairs in Metal Foil
- Standards: UL No. E321484 AVM 2835, ANSI/TIA-568-C.2
- Wiring spec: Straight through
- Ethernet standard: 10GBase-T
- Bandwidth: 600Mhz

> Cabo CAT7 S/FTP LS0H PiMF 20.00m LINDY (47270)

Cabo CAT7 S/FTP LS0H PiMF 20.00m LINDY (47270)

- Shielding: Yes
- LS0H (Low Smoke Zero Halogen): Yes

style="width: 17px; height: 17px;" alt="seta"

ver a lista de todos os cabos UTP Cat5e , clique

style="font-weight: bold; color: rgb(204, 0, 0);"

href="index.php?cPath=47_93_267_270"

target="_top">AQUI

style="color: rgb(204, 0, 0);">.

style="width: 17px; height: 17px;" alt="seta"

ver a lista de todos os cabos FTP Cat5e, clique

style="font-weight: bold; color: rgb(0, 153, 0);"

href="index.php?cPath=47_93_267_276"

target="_top">AQUI

style="color: rgb(0, 153, 0);">.

style="width: 17px; height: 17px;" alt="seta"

style="color: rgb(51, 51, 255);">Para

ver a lista de todos os cabos UTP Cat6 , clique

style="font-weight: bold; color: rgb(51, 51, 255);"

href="index.php?cPath=47_93_268_273"

target="_top">AQUI

style="color: rgb(51, 51, 255);">.

style="width: 17px; height: 17px;" alt="seta"

Para

ver a lista de todos os cabos FTP Cat6 , clique

style="font-weight: bold; color: rgb(153, 51, 153);"

href="index.php?cPath=47_93_268_471"

target="_top">AQUI

style="color: rgb(153, 51, 153);">.

style="width: 17px; height: 17px;" alt="seta"

ver a lista de todos os cabos UTP Cat6 S/FTP , clique

style="font-weight: bold; color: rgb(165, 42, 42);"

href="index.php?cPath=47_93_268_275"

target="_top">AQUI

> Cabo CAT7 S/FTP LS0H PiMF 20.00m LINDY (47270)

Cabo CAT7 S/FTP LS0H PiMF 20.00m LINDY (47270)

style="color: rgb(204, 0, 0);">.

style="width: 17px; height: 17px;" alt="seta"

ver a lista de todos os cabos UTP Cat7 , clique

style="font-weight: bold; color: rgb(119, 119, 119);"

href="index.php?cPath=47_93_501"

target="_top">AQUI

style="color: rgb(204, 0, 0);">.

Este artigo foi introduzido no catalogo online : Saturday, 10 January 2015