



REMOTE WORKING ESSENTIALS



CABLE CONNECTIVITY

In this section you can find some of our most popular cables for home office and remote working. From HDMI and DisplayPort video connectivity to USB cables, adapters and network patch leads. But remember, this is only a very small selection from our huge range. Visit our web shop to view them all.

HIGH SPEED HDMI CABLE, ANTHRA LINE



- Professional choice High Speed HDMI 2.0 cable for commercial and high performance AV and IT installations
- Supports UHD resolutions up to 4096x2160@60Hz and HDTV resolutions up to 1080p
- Available in lengths from 0.3m to 20m

No. 36960 to 36969

DISPLAYPORT 1.4 CABLE, ANTHRA LINE



- Professional choice DisplayPort 1.4 cable for commercial and high performance AV and IT installations
- Supports UHD resolutions up to 8K 7680x4320@60Hz 4:2:2 8bit including 4K 4096x2160@120Hz 4:4:4 8bit
- Available in lengths from 0.5m to 10m

No. 36480 to 36486

CROMO MINI DISPLAYPORT TO DISPLAYPORT CABLE



- Superior performance and design Mini DisplayPort to DisplayPort cable
- Supports UHD resolutions up to 4K 4096x2160@60Hz 4:4:4 10bit
- Available in lengths from 0.5m to 5m

No. 36310 to 36315

USB TYPE C TO HDMI 4K60 ADAPTER CABLE



- Converts a USB Type C port to an HDMI port
- Supports HDMI resolutions up to 4K 4096x2160@60Hz (4K 60Hz only in RGB)
- Available in lengths from 0.5m to 3m

No. 43260 to 43263



USB TYPE C TO DISPLAYPORT 4K60 ADAPTER CABLE



- Converts a USB Type C port to a DisplayPort port
- Supports DisplayPort resolutions up to 4K 3840x2160@60Hz 8bit 4:4:4
- Available in lengths from 0.5m to 3m

No. 43265 to 43267

REINFORCED USB TYPE A TO LIGHTNING CHARGE & SYNC CABLE



- High strength USB 2.0 charging and data transfer cable for iPhones, iPads and other Apple devices
- Supplied with a complimentary hookand-loop tie wrap to avoid cable tangling
- Available in lengths from 0.5m to 3m

No. 31290 to 31293

REINFORCED USB TYPE A TO C CHARGE & SYNC CABLE, 3A



- High strength USB 2.0 charging and data transfer cable for smartphones, tablets and other Type C devices
- Supplied with a complimentary hookand-loop tie wrap to avoid cable tangling
- Available in lengths from 0.5m to 3m

No. 36875 to 36878

USB 3.0 TYPE A EXTENSION CABLE, ANTHRA LINE



- Professional choice USB 2.0 Type A to Micro-B cable for commercial and high performance AV and IT installations
- Robust PVC housing, nickel connectors and gold plated contacts
- Available in lengths from 0.5m to 3m

No. 36760 to 36763

CAT.6 U/UTP NETWORK CABLE, BLACK



- Twisted Pair Patch Cable with RJ45 connectors
- Integrated snagless connector for latch protection
- Gold plated pins for better conductivity and elimination of signal loss
- Nine different colours available
- Available in lengths from 0.3m to 30m

No. 48075 to 48085





CONVERTERS & MST HUBS

Our wide choice of converter and adapters are the perfect solutions for connecting modern computers to legacy devices. Save on the cost and time of replacing VGA monitors and projectors using our HDMI to VGA adapters. Connect USB Type C, HDMI and DisplayPort equipped devices quickly and easily using simple plug and play converters.

Lindy MST hubs allow multiple displays to be connected to a single computer. Perfect for extended desktops and mirrored screen applications.

HDMI TO VGA AND AUDIO CONVERTER



- Connects an HDMI equipped device to a VGA display and analogue speakers
- Supports resolutions up to 1920x1200 including 1080p

No. 38285

HDMI 10.2G TO DISPLAYPORT 1.2 CONVERTER WITH USB POWER



- Converts HDMI signals into DisplayPort
- Supports resolutions up to 3840x2160@30Hz and 1920x1200/1080@60Hz
- Integrated USB Power cable

No. 38147

HDMI TO DISPLAYPORT, DVI & VGA CONVERTER

- Converts HDMI signals into DisplayPort, DVI or VGA signals
- Supports Ultra HD resolutions 3840x2160@30Hz for DisplayPort and Full HD 1920x1200@60Hz for DVI/VGA



DISPLAYPORT 1.2 TO HDMI 18G WITH HDR ACTIVE CONVERTER



- Connects a DisplayPort source to an HDMI display
- Supports resolutions up to 4K@60Hz
- High Dynamic Range support for deeper blacks, brighter whites and a wider colour gamut



DISPLAYPORT TO DUAL HDMI **MST HUB**

- · Splits a DisplayPort signal to 2 HDMI monitors
- · Alternatively expands a signal over two monitors
- · Open applications on separate displays or expanded across multiple monitors
- · Supports resolutions up to 3840x2160@60Hz



3 PORT DISPLAYPORT 1.2 MST HUB

- · Connects 3 DisplayPort displays to a DisplayPort computer or laptop
- Expands, duplicates or displays independent DP signals over 3 DP monitors
- · Supports resolutions up to 4K 60Hz, and audio up to 7.1CH



No. 38429

MINI DP TO DUAL HDMI **MST HUB**

- · Expands or duplicates a DisplayPort signal over two **HDMI** displays
- · Supports a maximum resolution of 3840x2160@30Hz
- · Open applications on separate displays or expanded across multiple monitors



2 PORT DISPLAYPORT 1.2 **MST HUB**

- · Connects 2 DisplayPort displays to a DisplayPort computer or laptop
- · Expands, duplicates or displays independent DP signals over dual DP monitors
- · Supports resolutions up to 4K 60Hz, and audio up to 7.1CH



No. 38427

MINI DISPLAYPORT 1.2 TO HDMI 18G WITH HDR ACTIVE CONVERTER



- · Connects a Mini DisplayPort source to an HDMI display
- · Supports resolutions up to 4K@60Hz
- · High Dynamic Range support for deeper blacks, brighter whites and a wider colour gamut

No. 41063

MINI DP TO DUAL DISPLAYPORT 1.2 **MST HUB**

- · Connects 2 DisplayPort displays to a Mini DisplayPort computer or laptop
- Expands, duplicates or displays independent mDP signals over dual DP monitors
- Supports resolutions up to 4K 60Hz, and audio up to 7.1CH





MINI DP TO TRIPLE DISPLAYPORT 1.2 MST HUB

- Connects 3 DisplayPort displays to a Mini DisplayPort computer or laptop
- Expands, duplicates or displays independent mDP signals over 3 DP monitors
- Supports resolutions up to 4K 60Hz, and audio up to 7.1CH



No. 38428

MINI DISPLAYPORT 1.2 TO MULTI-AV ACTIVE CONVERTER



- Converts a DisplayPort signal to HDMI, DP, DVI or VGA
- Supports HDMI and DP resolutions up to 4K@60Hz, VGA up to Full HD and DVI up to and above Full HD
- Easily connect with a single legacy or modern display at any one time

No. 38311

THUNDERBOLT 3 TO DUAL HDMI ADAPTER



- Connects two independent HDMI monitors to a single Thunderbolt 3 port
- Supports resolutions up to Ultra HD 4K 60Hz on 2 monitors
- Thunderbolt 3 and HDMI 2.0 compliant

No. 43900

LEINDY LEINDY

USB 3.1 TYPE C TO HDMI CONVERTER WITH USB POWER DELIVERY



- Adds an HDMI port and a USB Type C power supply port to your computer
- Supports HDMI resolutions up to 4K 4096x2160@60Hz 8Bit RGB
- Supports Type C power supplies up to 60W

No. 43272

USB 3.1 TYPE C TO DP CONVERTER



- Converts a USB Type C port to a DP port
- Supports DP resolutions up to 4K 3840x2160@60Hz
- Requires DisplayPort Alternate Mode support by the USB 3.1 Port/Bus



USB 3.1 TYPE C TO 2 PORT DP MST HUB

- Connects 2 DisplayPort displays to a USB 3.1 Type C Port with DisplayPort Alternate Mode support
- Supports resolutions up to 4K 3840x2160@60Hz or 2560x1600@30Hz if two displays are connected simultaneously
- Open applications on separate displays or expanded across multiple monitors



USB 3.1 TYPE C TO MULTI-AV CONVERTER



- Allows users to connect a DisplayPort, HDMI, DVI or VGA device to a USB Type C port
- Supports HDMI and DP resolutions up to 4K@60Hz, VGA and DVI up to 1920x1200@60Hz
- Requires DisplayPort Alternate support from the USB 3.1 Port/Bus

No. 43279

USB 3.1 TYPE C MULTI-PORT CONVERTER



- Adds 3 USB 3.1 Gen 1 / USB 3.0 Type A ports, an HDMI and VGA port as well as a Gigabit Ethernet port to a lantop
- Supports 4K UHD 3840x2160@30Hz for HDMI displays and Full HD 1920x1080@60Hz for VGA displays
- USB Power Delivery 3.0 capable up to 100W

No. 43278

USB TYPE A AUDIO CONVERTER



 Add 3.5mm audio interfaces to your ultrabook, notebook or tablet

No. 42926

USB TYPE C TO 3.5MM AUDIO ACTIVE CONVERTER



 Connects a 3.5mm audio input or output to a USB Type C device

No. 35629

HDMI TO USB 3.1 VIDEO CAPTURE DEVICE, 1080P 60HZ



- Captures video and audio from an HDMI source device
- High USB Bandwidth, enabling video capture up to 1080p@60Hz
- Compatible with Windows 7, 8 and 10, Mac OS X 10.8 and above (not compatible with macOS 10.14 or higher)

Our hubs, docking stations and chargers allow mobile workers to create productive office workspaces. Use our hubs to expand USB connectivity and our docking stations to easily connect to your monitor and other peripherals using one convenient connection.

4 PORT USB 2.0 MINI HUB

- · Provides 4 USB 2.0 High Speed ports
- · USB bus-powered



No. 42742

3 PORT USB 3.1 TYPE C HUB WITH USB POWER DELIVERY

- Connects 3 Type A USB peripherals to a Type C Port
- Features a USB Type C Female port for Power Delivery and data combined



No. 43092

4 PORT USB 3.1 HUB WITH ON/OFF SWITCHING PORTS

- Allows 4 USB 3.0 devices to be connected to a single USB port
- On/Off switch on each port allows you to manage power consumption of the connected devices
- Bus-powered with DC socket for external power supply (not included)



USB 3.1 TYPE C HUB & GIGABIT ETHERNET ADAPTER

- Connects a USB 3.1 Type C computer to a Gigabit Ethernet network
- Provides three USB 3.1 Gen 1 / 3.0 Type A ports





3 PORT USB 3.1 3 HUB & GIGABIT LAN ADAPTER

- Connects a USB 3.0 Type A computer to a Gigabit Ethernet network
- Provides three USB 3.1 Gen 1 / 3.0 Type A ports



USB 3.1 TYPE C NOTEBOOK DOCKING STATION

- Adds a USB 3.0 Type A port, an HDMI and a Gigabit Ethernet port to your notebook
- · Supports Ultra HD 4K 30Hz for HDMI displays
- · USB Power Delivery capable up to 60W



THUNDERBOLT 3 DOCKING STATION

- Connects an HDMI and Thunderbolt 3 display, USB peripherals and power over a single cable
- Supports Ultra HD 4K 60Hz for both displays and 5K at the Thunderbolt 3 port
- Integrated 5 port USB 3.1 Gen 1 / USB 3.0 SuperSpeed Hub
- USB Power Delivery capable up to 60W



EINDY LINDY LINDY

USB 3.0 MINI DP DOCKING STATION

- Connects to your tablet via USB Type A and Mini DisplayPort cable
- Adds 3 USB 3.0 Type A ports, an HDMI and a Gigabit Ethernet port to your tablet or ultrabook
- Supports resolutions up to 4K Ultra HD 30Hz via Mini DP to HDMI conversion




No. 43236

5 PORT SMART USB DESKTOP CHARGER, 40W, WHITE

- Convenient desktop solution for charging 5 USB devices at the same time
- Each port can individually output up 2.4A, with a maximum combined output of 8A / 40W across all 5 ports





SINGLE DISPLAY SHORT BRACKET WITH POLE AND DESK CLAMP



- Mounts a single monitor to a standard office desk
- Tilt, pivot or rotate for simple manoeuvrability
- Conforms to VESA standards (75 x 75mm and 100 x 100mm)

► No. 40656

DOUBLE LCD MONITOR ARM WITH POLE AND DESK CLAMP

- · Supports a maximum weight of 10kg per arm
- Conforms to VESA standards (75 x 75mm and 100 x 100mm)
- Designed with an easy mount option for attaching the monitors to the bracket







ADJUSTABLE LCD ARM, SILVER

- · Supports a maximum weight of 10kg
- For use with a 450mm pole or 700mm pole (not included, see below No. 40693)
- Conforms to VESA mounting standards (75 x 75mm and 100×100 mm)



No. 40696



700MM DESK CLAMP POLE, SILVER



- Supports a maximum weight of 10kg per arm
- Conforms to VESA standards (75 x 75mm and 100 x 100mm)

► No. 40693

DUAL ADJUSTABLE LCD ARM, SILVER

- · Supports a maximum weight of 6kg on each arm
- For use with a 450mm pole or 700mm pole (not included, see product to the left No. 40693)
- Conforms to VESA mounting standards (75 x 75mm and 100 x 100mm)



THE VESA STANDARD

The emergence of space-saving, flat TFT and LCD displays at the beginning of the last decade resulted in an increase in the number of displays on office desks as users worked across multiple displays and extended desktops.

This led to a requirement for display brackets that freed up desk space and allowed for convenient, ergonomic screen placement.

To ensure that all displays were equipped with a uniform mounting, in 2002, the VESA organization developed the VESA Flat Display Mounting Interface (FDMI) in various variants which has since become the de facto standard.

The variants differ in the distances between the four squarely arranged mounting screws, e.g. 75mm x 75mm or 100 x 100mm, and are suitable for displays of different sizes and weight classes.



KVM SWITCHES

Lindy compact KVM switches are the ideal space savers for remote and home office working. They allow multiple computers to be controlled from a single keyboard, mouse and monitor set. The options below include HDMI and DisplayPort versions, but are just a small sample of the wide range that can be viewed on our webshop.

2 PORT USB KM SWITCH

- Controls two PCs using a single keyboard & mouse across two monitors
- Unique software allows for switching computers by simply sweeping a mouse from one screen to the other
- Also supports switching via keyboard, hotkeys and mouse buttons



No. 32165

2 PORT HDMI 18G, USB 2.0 & AUDIO CABLE KVM SWITCH

- Controls two HDMI equipped PCs from a single keyboard, mouse and monitor
- Switches via the unit's push button control, software or keyboard hot keys
- · Supports HDMI 2.0 signals, up to 4K 60Hz



No. 42345

2 PORT DISPLAYPORT 1.2, USB 2.0 & AUDIO CABLE KVM SWITCH

- Controls two DisplayPort equipped PCs from a single keyboard, mouse and monitor
- Switches via the unit's push button control, software or keyboard hot keys
- Supports DisplayPort 1.2 signals, up to 4K 60Hz







POWER CABLES & EXTENSION

Lindy provides a comprehensive selection of mains cables, extensions and power strips. From simple IEC C13 cables to 3 and 6 way extensions. Our Y-splitter cables can power two different devices from one mains plug. They are vailable with a variety IEC connections – ideal for home office applications where there are limited mains outlets.

2M SCHUKO TO 2X IEC C13 Y-CABLE

- 1 x Schuko Plug to 2 x IEC C13
- · Powers two devices from one mains plug



No. 30048

2M SCHUKO TO 1X IEC C13 AND 1X IEC C5 Y-CABLEL

- 1 x Schuko Plug to IEC C13 and C5
- Powers two devices from one mains plug; ideal for use with a laptop power supply



No. 30047

3 OR 6 WAY SCHUKO POWER EXTENSION STRIP

- Maximum total power: 3500W
- · Connection cable length: 1.4m



3-fach - No 73100 6-fach - No 73102



Visit our webshop to see the full range of Lindy connectivity solutions.

www.lindy-international.com/



Lindy International Ltd. Stockton-on-Tees t: +44 1642 754021 e: InternationalSales@lindy.com

www.lindy-international.com