Extender - CAT6 para VGA 100m LINDY (37578)

Referencia : 37578

Extender - CAT6 para VGA 100m LINDY (37578)

Fabricante : Lindy

The Lindy 100m Cat.6 VGA Extender is a high-quality solution for extending analogue VGA signals over longer distances using standard network cable. Supporting resolutions up to 1920x1080, this system provides excellent picture quality in classrooms, lecture halls or presentations.

• Extends VGA signals up to 100m with standard network cable
• Supports resolutions up to 1920x1080
• Powered via the source or display
• Provided as a complete 1 -1 solution, with Transmitter and Receiver included

Provided as a complete extension solution, the Transmitter unit can be directly connected to a VGA source device such as PC, and output to the Receiver unit and display or projector, using a single standard Cat.5/6 cable. This provides a cost-effective solution for extending engaging content at greater distances within analogue AV installations.

Both Tx & Rx units are supplied within sturdy, metal housings with fixed mounting brackets and with no requirement for external power supplies, great for ensuring a tidy, manageable setup at either side of the installation.

Manual de InstruÃ§Ãµes (PDF)

Technical details

• Specifications

• AV Interface: VGA
• Supported Bandwidth: 100MHz
• Maximum Distance: 100m (328.08ft)
• Maximum Resolution: 1920x1080
• Transmission Medium: 1 x Cat.6
• Special Features:

LIDERTRÃ“NICA - Um Mundo de AcessÃ³rios Informãtico

Extender - CAT6 para VGA 100m LINDY (37578)

LIDERTRÃ“NICA - Um Mundo de Acessórios para InformÃ¡tica

• In-built virtual DDC
• In-built sync mode (Tx)
• Selectable Sync Mode (Rx)
• Mountable

• Connectors

• Transmitter Input: VGA (Female)
• Transmitter Output: RJ-45 (Female)
• Receiver Input: RJ-45 (Female)
• Receiver Output: VGA (Female)
• Power : Powered via connected device

• Physical Properties

• Dimensions (approx.) WxDxH: 110x26x76.6mm (4.33x1.02x3.02in)
• Housing Material: Metal
• Net Weight: 0.339kg (0.75lb)
• Operating Temperature : 0Â°C - 55Â°C (32Â°F - 131Â°F)
• Storage Temperature: -20Â°C - 85Â°C (-4Â°F - 185Â°F)
• Humidity: 0 - 95% RH (non-condensing)
• Colour: Black

• Miscellaneous

• Packaging Type: Carton Box
• Packaging Dimensions: 114x110x80mm (4.49x4.33x3.15in)
• Gross Weight: 0.412kg (0.91lb)
• Certificated: CE, FCC, RoHS, REACH & California Proposition 65

• Package Content

• Transmitter Unit
• Receiver Unit
• 4 x Screws & 4 x Wall Plugs
• Lindy Manual

> *Extender - CAT6 para VGA 100m LINDY (37578)*

Extender - CAT6 para VGA 100m LINDY (37578)

Este artigo foi introduzido no catalogo online : Monday, 14 September 2020

LIDERTRÃ“NICA - Um Mundo de AcessÃ³rios para InformÃ¡tic